

# Starlike® EVO Finishes

**SPECIAL FINISHES FOR STARLIKE® EVO AND FILLGOOD EVO**



## DESCRIPTION

The Galaxy, Spotlight, Gold and Night Vision additives, when mixed as a third component with the Starlike® EVO two-component epoxy grout, give the grouting unique and exclusive effects without compromising the product's special ease of cleaning.

These additives are sold separately in pre-batched packages for the 1 - 2.5 - 5 kg (2.2 - 5.5 - 11lb) package of Starlike® EVO.

## GALAXY

This component can be added to any color in the Starlike® EVO range to obtain a metallic effect. The shade will be slightly lighter compared to the original additive-free color.

## GOLD

This component can be added to any color in the Starlike® EVO or FillGood EVO range to obtain a gold glitter effect. The intensity of the original color will not change.

## SPOTLIGHT

This component can be added to any color in the Starlike® EVO or FillGood EVO range to obtain a silver glitter effect. The intensity of the original color will not change.

## NIGHT VISION

This component can be added to the following colors in the Starlike® EVO range: 110 Grigio Perla, 115 Grigio Seta, 120 Grigio Piombo, 205 Travertino, 208 Sabbia, 210 Greige, 215 Tortora, 225 Tabacco, 310 Azzurro Polvere, 320 Azzurro Caraibi, 330 Blu Avio, 340 Blu Denim, 350 Blu Zaffiro, 410 Verde Smeraldo, 420 Verde Prato, 430 Verde Pino, 500 Rosa Cipria, 530 Viola Ametista, 600 Giallo Vaniglia.

This is a photoluminescent additive, which means that after exposure to natural or artificial light, the grouting assumes a bluish aspect for about 1 hour in the dark, without substantially modifying the original product color.

## METALLIC COLLECTION

The Platinum, Shining Gold, Bronze, Copper and Rusty additives, when mixed as a third component with the Starlike® EVO two-component epoxy grout in the color 113 Neutro, give the grouting unique and exclusive metallic effects without compromising the product's special ease of cleaning.

These additives are sold separately in pre-batched packages for the 2.5 - 5 kg (5.5 - 11lb) package of Starlike® EVO 113 Neutro.

## PACKAGING

### Galaxy

30 g (1.1oz) package (boxes with 60 pcs) 1,200 kg (2,645.5lb) standard pallet

75 g (2.6oz) package (boxes with 36 pcs) 720 kg (1,587.3lb) standard pallet

150 g (5.3oz) package (boxes with 24 pcs) 480 kg (1,058.2lb) standard pallet

### Gold

30 g (1.1oz) package (boxes with 60 pcs) 1,200 kg (2,645.5lb) standard pallet

75 g (2.6oz) package (boxes with 36 pcs) 720 kg (1,587.3lb) standard pallet

150 g (5.3oz) package (boxes with 24 pcs) 480 kg (1,058.2lb) standard pallet

### Spotlight

30 g (1.1oz) package (boxes with 60 pcs) 1,200 kg (2,645.5lb) standard pallet

75 g (2.6oz) package (boxes with 36 pcs) 720 kg (1,587.3lb) standard pallet

150 g (5.3oz) package (boxes with 24 pcs) 480 kg (1,058.2lb) standard pallet

#### **Night Vision**

200 g (7.1oz) package (boxes with 36 pcs) 720 kg (1,587.3lb) standard pallet

400 g (14oz) package (boxes with 24 pcs) 480 kg (1,058.2lb) standard pallet

#### **Metallic Collection**

100 g (3.5oz) package (boxes with 36 pcs) 720 kg (1,587.3lb) standard pallet

200 g (7.1oz) package (boxes with 24 pcs) 480 kg (1,058.2lb) standard pallet

---

## **FIELDS OF APPLICATION**

Special additives for the Starlike® EVO epoxy grout indicated for the grouting of ceramic and porcelain tiles, porcelain stoneware, mosaics, clinkers on interior walls and floors, for example: bathrooms, kitchens, showroom floors, shops, furniture elements, columns, etc.

---

## **MIX RATIO**

Packages pre-batched for 1 - 2.5 - 5 kg (2.2 - 5.5 - 11lb) packages of Starlike® EVO and FillGood EVO.

---

## **PREPARING THE MIX**

Mix the catalyst (part B) with the colored paste (part A) of Starlike® EVO packaged in the 1 - 2.5 - 5 kg (2.2 - 5.5 - 11lb) bucket, using an electric drill with mixing paddle, until a consistent mix is obtained without lumps.

Gently pour into the mix the third pre-batched component consisting in the Galaxy, Spotlight, Gold and Night Vision finishes, or the additives in the Metallic Collection series (Platinum, Shining Gold, Bronze, Copper, Rusty), mixing slowly and incorporating it consistently.

In the case of FillGood EVO, delicately pour it into the 5 kg (11lb) bucket and manually mix with a steel trowel.

---

## **APPLICATION**

### **Grouting the tiled surface**

Apply the mix in the joints using a special rubber float until saturation, making diagonal movements with respect to the direction of the joints and removing any excess material from the surface of the ceramic covering.

For large surfaces, a single disc machine with abrasion-resistant rubber brusher can be used.

The product's pot life and setting time is strongly dependent on the ambient temperature.

Low temperatures will lengthen the setting time, high temperatures will shorten it.

The ideal temperature for application is between +18 (64.4°F) and +23°C (73.4°F).

At temperatures less than +10°C (50°F), the product is very dense and difficult to apply. The setting time is also considerably lengthened.

Do not add water or solvents to improve pot life.

In hot weather, it is advisable to spread the product on the flooring as quickly as possible so as not to shorten the pot life even further due to the heat of reaction in the container.

Do not use if the temperature is forecast to drop below +10°C (50°F) in the following 24 hours.

---

## **CLEANING AND FINISHING**

The grouting must be cleaned and finished while the product is still wet and in any case in the shortest possible time. Take care not to empty the joints or leave halos on the tile surface.

Manual method

First sprinkle clean water over the grouted surface.

If necessary, perform initial cleaning using a float fitted with a moistened white felt pad (art. 109 GBNC). Make circular movements in both clockwise and anti-clockwise directions in order to seal the sides of the tiles perfectly and to remove excess grout from the surface of the tiles.

Then wipe a second time with a Sweepex sponge (art. 128G0001) in order to obtain a smooth, closed surface and to remove the product completely from the surface of the tiles, without removing it from the joints, as well as to dry off the excess water. To facilitate the cleaning operation, we recommend using two buckets full of water, one for rinsing the felt pad and sponge, as well as to collect any dirty water, and the other filled with clean water for the final surface cleaning.

Replace the felt pad and sponge when they become impregnated with resin and can no longer be cleaned.

Any halos or clear product residue can be removed from the surface of the tiles after about 24 hours or after the joint has set (depending on the temperature), using the special detergents Litonet EVO (for floors) and Litonet Gel EVO (for walls).

Refer to the technical data sheet for information on how to use them correctly.

## CLASS COLLECTION

	Starlike® EVO / FillGood EVO*	Starlike® EVO + Galaxy	Starlike® EVO + Spotlight	FillGood EVO* + Spotlight	Starlike® EVO + Gold	FillGood EVO* +Gold	Starlike® EVO +Night Vision
Class Cold Collection	100 Bianco Assoluto*	●	●	●	●	●	●
Class Cold Collection	102 Bianco Ghiaccio	●	●	●	●	●	●
Class Cold Collection	105 Bianco Titano	●	●	●	●	●	●
Class Cold Collection	110 Grigio Perla*	●	●	●	●	●	●
Class Cold Collection	115 Grigio Seta	●	●	●	●	●	●
Class Cold Collection	120 Grigio Piombo	●	●	●	●	●	●
Class Cold Collection	125 Grigio Cemento*	●	●	●	●	●	●
Class Cold Collection	130 Grigio Ardesia	●	●	●	●	●	●
Class Cold Collection	140 Nero Grafite*	●	●	●	●	●	●
Class Cold Collection	145 Nero Carbonio	●	●	●	●	●	●
Class Warm Collection	200 Avorio	●	●	●	●	●	●
Class Warm Collection	202 Naturale	●	●	●	●	●	●
Class Warm Collection	205 Travertino*	●	●	●	●	●	●
Class Warm Collection	208 Sabbia	●	●	●	●	●	●
Class Warm Collection	210 Greige*	●	●	●	●	●	●
Class Warm Collection	215 Tortora	●	●	●	●	●	●
Class Warm Collection	225 Tabacco*	●	●	●	●	●	●
Class Warm Collection	230 Cacao*	●	●	●	●	●	●
Class Warm Collection	232 Cuoio	●	●	●	●	●	●
Class Warm Collection	235 Caffè	●	●	●	●	●	●

## GLAM COLLECTION

	Starlike® EVO	Starlike® EVO + Galaxy	Starlike® EVO + Spotlight	Starlike® EVO + Gold	Starlike® EVO +Night Vision
Glam Collection	300 Azzurro Pastello	●	●	●	●
Glam Collection	310 Azzurro Polvere	●	●	●	●
Glam Collection	320 Azzurro Caraibi	●	●	●	●
Glam Collection	330 Blu Avio	●	●	●	●
Glam Collection	340 Blu Denim	●	●	●	●
Glam Collection	350 Blu Zaffiro	●	●	●	●
Glam Collection	400 Verde Salvia	●	●	●	●
Glam Collection	410 Verde Smeraldo	●	●	●	●
Glam Collection	420 Verde Prato	●	●	●	●
Glam Collection	430 Verde Pino	●	●	●	●
Glam Collection	500 Rosa Cipria	●	●	●	●
Glam Collection	530 Viola Ametista	●	●	●	●
Glam Collection	550 Rosso Oriente	●	●	●	●
Glam Collection	580 Rosso Mattone	●	●	●	●
Glam Collection	600 Giallo Vaniglia	●	●	●	●

## METALLIC COLLECTION

Metallic Collection	Starlike® EVO 113 Neutro + Platinum
Metallic Collection	Starlike® EVO 113 Neutro o + Shining gold
Metallic Collection	Starlike® EVO 113 Neutro + Bronze
Metallic Collection	Starlike® EVO 113 Neutro + Copper
Metallic Collection	Starlike® EVO 113 Neutro + Rusty

### KEY

●	RECOMMENDED COMBINATION
●	NON-RECOMMENDED COMBINATION

## FOCUS

### Finishes

If the Spotlight, Gold, Galaxy and Night Vision finishes are used, add the product as the third component after mixing the catalyst (component B).

Be sure to pour it in slowly as these additives are very volatile, and use a mixing paddle at low speed to avoid splashing the product.

### Metallic Collection

To obtain the metallic finishes Platinum, Shining Gold, Bronze, Copper and Rusty, the respective additives must be

mixed only with Starlike® EVO 113 Neutro. Add the product as the third component after mixing in the catalyst (component B).

Be sure to pour it in slowly as these additives are very volatile, and use a mixing paddle at low speed to avoid splashing the product.

## WARNINGS

- Do not use the Starlike® EVO epoxy grout additivated with Galaxy, Spotlight, Gold and Night Vision components, or with components from the Metallic Collection series, on ceramic surfaces subject to contact with aggressive chemicals, for example industrial floors
- Do not mix the Galaxy additive with Starlike® EVO and FillGood EVO
- Handle additives with care insofar as they have a very low specific gravity and are therefore extremely volatile
- If the ceramic surface is exposed to natural or artificial light, the effects obtainable with these additives will be further enhanced

## SAFETY INFORMATION

Consult the product safety data sheet, available on request.  
PRODUCT FOR PROFESSIONAL USE

## COLOR TABLE



	STARLIKE® EVO	GALAXY	SPOTLIGHT	GOLD	OTTOSEAL®
Class	100 Starlike-essence	100 Starlike-essence	100 Starlike-essence	100 Starlike-essence	100 OTTOSEAL
	101 Starlike-Glass	101 Starlike-Glass	101 Starlike-Glass	101 Starlike-Glass	101 OTTOSEAL
	102 Starlike-Flora	102 Starlike-Flora	102 Starlike-Flora	102 Starlike-Flora	102 OTTOSEAL
	110 Starlike-Pink	110 Starlike-Pink	110 Starlike-Pink	110 Starlike-Pink	110 OTTOSEAL
	115 Starlike-Soft	115 Starlike-Soft	115 Starlike-Soft	115 Starlike-Soft	115 OTTOSEAL
	120 Starlike-Plum	120 Starlike-Plum	120 Starlike-Plum	120 Starlike-Plum	120 OTTOSEAL
	125 Starlike-Orange	125 Starlike-Orange	125 Starlike-Orange	125 Starlike-Orange	125 OTTOSEAL
	130 Starlike-Black	130 Starlike-Black	130 Starlike-Black	130 Starlike-Black	130 OTTOSEAL
	140 Starlike-White	140 Starlike-White	140 Starlike-White	140 Starlike-White	140 OTTOSEAL
	150 Starlike-Black	150 Starlike-Black	150 Starlike-Black	150 Starlike-Black	150 OTTOSEAL
	160 Starlike-White	160 Starlike-White	160 Starlike-White	160 Starlike-White	160 OTTOSEAL
	170 Starlike-Black	170 Starlike-Black	170 Starlike-Black	170 Starlike-Black	170 OTTOSEAL
	180 Starlike-White	180 Starlike-White	180 Starlike-White	180 Starlike-White	180 OTTOSEAL
	190 Starlike-Black	190 Starlike-Black	190 Starlike-Black	190 Starlike-Black	190 OTTOSEAL
	Class	200 Starlike	200 Starlike	200 Starlike	200 Starlike
201 Starlike		201 Starlike	201 Starlike	201 Starlike	201 OTTOSEAL
202 Starlike		202 Starlike	202 Starlike	202 Starlike	202 OTTOSEAL
203 Starlike		203 Starlike	203 Starlike	203 Starlike	203 OTTOSEAL
204 Starlike		204 Starlike	204 Starlike	204 Starlike	204 OTTOSEAL
205 Starlike		205 Starlike	205 Starlike	205 Starlike	205 OTTOSEAL
206 Starlike		206 Starlike	206 Starlike	206 Starlike	206 OTTOSEAL
207 Starlike		207 Starlike	207 Starlike	207 Starlike	207 OTTOSEAL
208 Starlike		208 Starlike	208 Starlike	208 Starlike	208 OTTOSEAL
209 Starlike		209 Starlike	209 Starlike	209 Starlike	209 OTTOSEAL
210 Starlike		210 Starlike	210 Starlike	210 Starlike	210 OTTOSEAL
211 Starlike		211 Starlike	211 Starlike	211 Starlike	211 OTTOSEAL
212 Starlike		212 Starlike	212 Starlike	212 Starlike	212 OTTOSEAL
213 Starlike		213 Starlike	213 Starlike	213 Starlike	213 OTTOSEAL

**Clam**

STARLIKE® EVO	GALAXY	SPOTLIGHT	GOLD	OTTOSEAL®
200 Starlike-essence	200 Starlike-essence	200 Starlike-essence	200 Starlike-essence	200 OTTOSEAL
201 Starlike-Glass	201 Starlike-Glass	201 Starlike-Glass	201 Starlike-Glass	201 OTTOSEAL
202 Starlike-Flora	202 Starlike-Flora	202 Starlike-Flora	202 Starlike-Flora	202 OTTOSEAL
210 Starlike-Pink	210 Starlike-Pink	210 Starlike-Pink	210 Starlike-Pink	210 OTTOSEAL
215 Starlike-Soft	215 Starlike-Soft	215 Starlike-Soft	215 Starlike-Soft	215 OTTOSEAL
220 Starlike-Plum	220 Starlike-Plum	220 Starlike-Plum	220 Starlike-Plum	220 OTTOSEAL
225 Starlike-Orange	225 Starlike-Orange	225 Starlike-Orange	225 Starlike-Orange	225 OTTOSEAL
230 Starlike-Black	230 Starlike-Black	230 Starlike-Black	230 Starlike-Black	230 OTTOSEAL
240 Starlike-White	240 Starlike-White	240 Starlike-White	240 Starlike-White	240 OTTOSEAL
250 Starlike-Black	250 Starlike-Black	250 Starlike-Black	250 Starlike-Black	250 OTTOSEAL
260 Starlike-White	260 Starlike-White	260 Starlike-White	260 Starlike-White	260 OTTOSEAL
270 Starlike-Black	270 Starlike-Black	270 Starlike-Black	270 Starlike-Black	270 OTTOSEAL
280 Starlike-White	280 Starlike-White	280 Starlike-White	280 Starlike-White	280 OTTOSEAL
290 Starlike-Black	290 Starlike-Black	290 Starlike-Black	290 Starlike-Black	290 OTTOSEAL
300 Starlike-White	300 Starlike-White	300 Starlike-White	300 Starlike-White	300 OTTOSEAL

**Metallic**

300 Starlike-White	300 Starlike-White	300 Starlike-White	300 Starlike-White	300 OTTOSEAL
301 Starlike-Black	301 Starlike-Black	301 Starlike-Black	301 Starlike-Black	301 OTTOSEAL
302 Starlike-White	302 Starlike-White	302 Starlike-White	302 Starlike-White	302 OTTOSEAL
303 Starlike-Black	303 Starlike-Black	303 Starlike-Black	303 Starlike-Black	303 OTTOSEAL
304 Starlike-White	304 Starlike-White	304 Starlike-White	304 Starlike-White	304 OTTOSEAL
305 Starlike-Black	305 Starlike-Black	305 Starlike-Black	305 Starlike-Black	305 OTTOSEAL
306 Starlike-White	306 Starlike-White	306 Starlike-White	306 Starlike-White	306 OTTOSEAL
307 Starlike-Black	307 Starlike-Black	307 Starlike-Black	307 Starlike-Black	307 OTTOSEAL
308 Starlike-White	308 Starlike-White	308 Starlike-White	308 Starlike-White	308 OTTOSEAL
309 Starlike-Black	309 Starlike-Black	309 Starlike-Black	309 Starlike-Black	309 OTTOSEAL
310 Starlike-White	310 Starlike-White	310 Starlike-White	310 Starlike-White	310 OTTOSEAL
311 Starlike-Black	311 Starlike-Black	311 Starlike-Black	311 Starlike-Black	311 OTTOSEAL
312 Starlike-White	312 Starlike-White	312 Starlike-White	312 Starlike-White	312 OTTOSEAL
313 Starlike-Black	313 Starlike-Black	313 Starlike-Black	313 Starlike-Black	313 OTTOSEAL
314 Starlike-White	314 Starlike-White	314 Starlike-White	314 Starlike-White	314 OTTOSEAL

**Special**

315 Starlike-Black	315 Starlike-Black	315 Starlike-Black	315 Starlike-Black	315 OTTOSEAL
316 Starlike-White	316 Starlike-White	316 Starlike-White	316 Starlike-White	316 OTTOSEAL
317 Starlike-Black	317 Starlike-Black	317 Starlike-Black	317 Starlike-Black	317 OTTOSEAL
318 Starlike-White	318 Starlike-White	318 Starlike-White	318 Starlike-White	318 OTTOSEAL
319 Starlike-Black	319 Starlike-Black	319 Starlike-Black	319 Starlike-Black	319 OTTOSEAL
320 Starlike-White	320 Starlike-White	320 Starlike-White	320 Starlike-White	320 OTTOSEAL
321 Starlike-Black	321 Starlike-Black	321 Starlike-Black	321 Starlike-Black	321 OTTOSEAL
322 Starlike-White	322 Starlike-White	322 Starlike-White	322 Starlike-White	322 OTTOSEAL
323 Starlike-Black	323 Starlike-Black	323 Starlike-Black	323 Starlike-Black	323 OTTOSEAL
324 Starlike-White	324 Starlike-White	324 Starlike-White	324 Starlike-White	324 OTTOSEAL
325 Starlike-Black	325 Starlike-Black	325 Starlike-Black	325 Starlike-Black	325 OTTOSEAL
326 Starlike-White	326 Starlike-White	326 Starlike-White	326 Starlike-White	326 OTTOSEAL
327 Starlike-Black	327 Starlike-Black	327 Starlike-Black	327 Starlike-Black	327 OTTOSEAL
328 Starlike-White	328 Starlike-White	328 Starlike-White	328 Starlike-White	328 OTTOSEAL
329 Starlike-Black	329 Starlike-Black	329 Starlike-Black	329 Starlike-Black	329 OTTOSEAL
330 Starlike-White	330 Starlike-White	330 Starlike-White	330 Starlike-White	330 OTTOSEAL

**STARLIKE ColorCrystal EVO**

331 Starlike-Black	331 Starlike-Black	331 Starlike-Black	331 Starlike-Black	331 OTTOSEAL
332 Starlike-White	332 Starlike-White	332 Starlike-White	332 Starlike-White	332 OTTOSEAL
333 Starlike-Black	333 Starlike-Black	333 Starlike-Black	333 Starlike-Black	333 OTTOSEAL
334 Starlike-White	334 Starlike-White	334 Starlike-White	334 Starlike-White	334 OTTOSEAL
335 Starlike-Black	335 Starlike-Black	335 Starlike-Black	335 Starlike-Black	335 OTTOSEAL
336 Starlike-White	336 Starlike-White	336 Starlike-White	336 Starlike-White	336 OTTOSEAL
337 Starlike-Black	337 Starlike-Black	337 Starlike-Black	337 Starlike-Black	337 OTTOSEAL
338 Starlike-White	338 Starlike-White	338 Starlike-White	338 Starlike-White	338 OTTOSEAL
339 Starlike-Black	339 Starlike-Black	339 Starlike-Black	339 Starlike-Black	339 OTTOSEAL
340 Starlike-White	340 Starlike-White	340 Starlike-White	340 Starlike-White	340 OTTOSEAL
341 Starlike-Black	341 Starlike-Black	341 Starlike-Black	341 Starlike-Black	341 OTTOSEAL
342 Starlike-White	342 Starlike-White	342 Starlike-White	342 Starlike-White	342 OTTOSEAL
343 Starlike-Black	343 Starlike-Black	343 Starlike-Black	343 Starlike-Black	343 OTTOSEAL
344 Starlike-White	344 Starlike-White	344 Starlike-White	344 Starlike-White	344 OTTOSEAL
345 Starlike-Black	345 Starlike-Black	345 Starlike-Black	345 Starlike-Black	345 OTTOSEAL
346 Starlike-White	346 Starlike-White	346 Starlike-White	346 Starlike-White	346 OTTOSEAL

**STARLIKE CRYSTAL EVO**

347 Starlike-Black	347 Starlike-Black	347 Starlike-Black	347 Starlike-Black	347 OTTOSEAL
348 Starlike-White	348 Starlike-White	348 Starlike-White	348 Starlike-White	348 OTTOSEAL
349 Starlike-Black	349 Starlike-Black	349 Starlike-Black	349 Starlike-Black	349 OTTOSEAL
350 Starlike-White	350 Starlike-White	350 Starlike-White	350 Starlike-White	350 OTTOSEAL
351 Starlike-Black	351 Starlike-Black	351 Starlike-Black	351 Starlike-Black	351 OTTOSEAL
352 Starlike-White	352 Starlike-White	352 Starlike-White	352 Starlike-White	352 OTTOSEAL
353 Starlike-Black	353 Starlike-Black	353 Starlike-Black	353 Starlike-Black	353 OTTOSEAL
354 Starlike-White	354 Starlike-White	354 Starlike-White	354 Starlike-White	354 OTTOSEAL
355 Starlike-Black	355 Starlike-Black	355 Starlike-Black	355 Starlike-Black	355 OTTOSEAL
356 Starlike-White	356 Starlike-White	356 Starlike-White	356 Starlike-White	356 OTTOSEAL
357 Starlike-Black	357 Starlike-Black	357 Starlike-Black	357 Starlike-Black	357 OTTOSEAL
358 Starlike-White	358 Starlike-White	358 Starlike-White	358 Starlike-White	358 OTTOSEAL
359 Starlike-Black	359 Starlike-Black	359 Starlike-Black	359 Starlike-Black	359 OTTOSEAL
360 Starlike-White	360 Starlike-White	360 Starlike-White	360 Starlike-White	360 OTTOSEAL
361 Starlike-Black	361 Starlike-Black	361 Starlike-Black	361 Starlike-Black	361 OTTOSEAL
362 Starlike-White	362 Starlike-White	362 Starlike-White	362 Starlike-White	362 OTTOSEAL

**LITOKOL**

## NOTES

Data detection at temperature +23 °C (+68°F), R.H. 50% and with no wind. May vary depending on the specific conditions of the installation site.

The colors and images of the products are intended purely as a guideline and do not necessarily constitute a faithful representation of the originals.

Scheda **n. 311**  
Revisione **n. 5**  
Data: **January 2021**

The information and provisions contained in this technical data sheet reflect our best experience. Given the impossibility of directly intervening on the conditions of the work site and execution of the works, they represent indications of a general nature, which are in no way binding on our Company. It is therefore advisable to perform a spot test to check the suitability of the product for the intended use. In any case, users must determine whether or not it is suitable for the intended use and shall assume all associated responsibility.

Litokol S.p.A.  
Via G. Falcone 13/1  
42048 Rubiera (RE) Italy  
Tel. +39 0522 622811  
Fax +39 0522 620150  
info@litokol.it

[www.litokol.it](http://www.litokol.it)

